

Laser Dipole traps

Quasi-static Limit:

- 1 W of power.
- focused down to 100 μm .

Laser Dipole traps

Quasi-static Limit:

- 1 W of power.
- focused down to 100 μm .

Atom: ^{87}Rb

DC polarizability: $\alpha = h \cdot 0.08 \text{ Hz} / \left(\frac{\text{V}}{\text{cm}}\right)^2$

Laser Dipole traps

Quasi-static Limit:

- 1 W of power.
- focused down to 100 μm .

Atom: ^{87}Rb

DC polarizability: $\alpha = h \cdot 0.08 \text{ Hz} / \left(\frac{\text{V}}{\text{cm}}\right)^2$

\Rightarrow Intensity $\sim 10^8 \text{ W/m}^2$, Electric field $\sim 3 \times 10^3 \text{ V/cm}$

Laser Dipole traps


Quasi-static Limit:

- 1 W of power.
- focused down to 100 μm .

Atom: ^{87}Rb

DC polarizability: $\alpha = h \cdot 0.08 \text{ Hz} / \left(\frac{\text{V}}{\text{cm}}\right)^2$

\Rightarrow Intensity $\sim 10^8 \text{ W/m}^2$, Electric field $\sim 3 \times 10^3 \text{ V/cm}$



$$U = -1.2 \times 10^{-28} \text{ J}$$

$$\sim 10 \mu\text{K} !!!$$

$$\Rightarrow v \sim 3 \text{ cm/s}$$

Laser Dipole traps


Quasi-static Limit:

- 1 W of power.
- focused down to 100 μm .

Atom: ^{87}Rb

DC polarizability: $\alpha = h \cdot 0.08 \text{ Hz} / \left(\frac{\text{V}}{\text{cm}}\right)^2$

\Rightarrow Intensity $\sim 10^8 \text{ W/m}^2$, Electric field $\sim 3 \times 10^3 \text{ V/cm}$




$$U = -1.2 \times 10^{-28} \text{ J}$$

$$\sim 10 \mu\text{K} !!!$$

$$\Rightarrow v \sim 3 \text{ cm/s}$$

Ultracold atoms are trapped by focused laser light !!!



Laser Dipole traps


Quasi-static Limit:

- 1 W of power.
- focused down to 100 μm .

Atom: ^{87}Rb

DC polarizability: $\alpha = h \cdot 0.08 \text{ Hz} / \left(\frac{\text{V}}{\text{cm}}\right)^2$

\Rightarrow Intensity $\sim 10^8 \text{ W/m}^2$, Electric field $\sim 3 \times 10^3 \text{ V/cm}$



$$U = -1.2 \times 10^{-28} \text{ J}$$

$$\sim 10 \mu\text{K} !!!$$

$$\Rightarrow v \sim 3 \text{ cm/s}$$

Ultracold atoms are trapped by focused laser light !!!

