Week 3 Light & Matter

1. Electromagnetic waves & photons

2. Spectroscopy and atoms

3. Particles, nuclei, and fusion

REMINDER: Midterm #1 is next week on Monday, September 23.

Today's Topics

Monday, September 16, 2019 (Week 3, lecture 8) – Chapter 5.

1. Electromagnetic waves

- 2. Electromagnetic spectrum
- 3. Blackbody radiation
- 4. Photons

Speed of Light

The speed of light in **vacuum** is always $c = 3.0 \times 10^8$ m/s. = 300,000 km/s

It's an experimental fact but also very counter-intuitive.

Speed of Light

The speed of light in vacuum is always $c = 3.0 \times 10^8$ m/s. = 300,000 km/s

It's an experimental fact | but also very counter-intuitive.

The speed of light <u>does NOT depend</u> on the observer:

- If observer A is at rest and measures the speed of light in their laser pointer, then they will measure $c = 3.0 \times 10^8$ m/s.
- If observer B is moving at 290,000 km/s, then they will measure the speed of light of <u>observer A's laser pointer</u> to be c = 3.0 × 10⁸ m/s.

Speed of Light in Matter

The speed of light *in matter is slower* than in vacuum


Speed of light in air = 99.97% of c

Speed of light in water = 75% of c

Speed of light in glass = 67% of c

Speed of light in **diamond = 41% of c**

Speed of light in silicon $\simeq 25\%$ of c




[123RF.com]

Note: In engineered atomic gases, light can be brought ~ 10 m/s and even stopped. (Novikova Lab at W&M)

Light:

Particle or Wave?



Electromagnetic Waves

James Clerk Maxwell (1831-1879) worked on electricity and magnetism:

- They are different facets of the same phenomenon.
- Light is a wave of electric & magnetic fields.



James Clerk Maxwell

Electromagnetic Waves

James Clerk Maxwell (1831-1879) worked on electricity and magnetism:

- They are different facets of the same phenomenon.
- Light is a wave of electric & magnetic fields.




James Clerk Maxwell

oscillating electric field
oscillating magnetic field
oscillating electric field


Electromagnetic Waves

James Clerk Maxwell (1831-1879) worked on electricity and magnetism:

- They are different facets of the same phenomenon.
- Light is a wave of electric & magnetic fields.




Wave Properties




Frequency: $f = \frac{1}{T}$ = oscillations per second

Wave Properties




Frequency: $f = \frac{1}{T}$ = oscillations per second


Wave Properties




Wave Addition: Constructive Interference




Wave Addition: Constructive Interference




Wave Addition: Destructive Interference




Wave Addition: Destructive Interference




Interference Experiment




Screen






Screen

Interference Experiment



Interference Experiment




[Young's double slit experiment, by Thomas Young (1773-1829) in 1801-1803.]

Electromagnetic Spectrum

- Visible light represents only a small portion of electromagnetic waves.
- Electromagnetic waves cover over 25 orders of magnitude in frequency & wavelength.

Electromagnetic Spectrum


- Visible light represents only a small portion of electromagnetic waves.
- Electromagnetic waves cover over 25 orders of magnitude in frequency & wavelength.



Astronomers use all Wavelengths

Crab Nebula (M1)

- Exploding star remnant (superonova).
- Recorded by Chinese astronomers and others (1054 AD).
- Located at about 6500 ly in our galaxy (Taurus constellation).
- This composite image is by the Hubble Space Telescope (visible light).




Crab Nebula with Radio-Waves



Radio (Very Large Array)


[VLA/NRAO/AUI/NSF]

Crab Nebula with Infrared Light



[NASA/Spitzer/JPL-Caltech]

Crab Nebula with Visible Light



[NASA, ESA, and Hubble (STScI)]

Crab Nebula with Ultraviolet Light



[XMM-Newton/ESA]


Crab Nebula with X-Rays



X-ray (Chandra)

[NASA/Chandra/CXC]

Absorption by Earth's Atmosphere



Thermal Light Sources Blackbody Radiation

- The oldest and simplest way to make light is by heating something up (filament, gas, wood, etc).
- Hotter = brighter, colder = dimmer.
- Hotter = white-blue, colder = dim red.
- Color of thermal source \rightarrow temperature.

<u>Blackbody</u> (definition): An object that does not reflect light. All light emitted by its surface is due to heat.

Thermal Light Sources Blackbody Radiation

- The oldest and simplest way to make light is by heating something up (filament, gas, wood, etc).
- Hotter = brighter, colder = dimmer.
- Hotter = white-blue, colder = dim red.
- Color of thermal source \rightarrow temperature.



incandescent lightbulb

Thermal Light Sources Blackbody Radiation

- The oldest and simplest way to make light is by heating something up (filament, gas, wood, etc).
- Hotter = brighter, colder = dimmer.
- Hotter = white-blue, colder = dim red.
- Color of thermal source → temperature.




incandescent lightbulb


Blackbody (definition): An object that does not reflect light. All light emitted by its surface is due to heat.

Ideal thermal source of light


Blackbody Radiation (1)



Blackbody Radiation (1)




Blackbody Radiation (1)




Blackbody Radiation (2)

- Total output power (per unit area)
 = area under the curve
 - = Luminosity (L)
- Power = Energy per time
- Luminosity = Power per area



Blackbody Radiation (2)

- Total output power (per unit area)
 = area under the curve
 = Luminosity (L)
- Power = Energy per time
- Luminosity = Power per area




Stefan-Boltzman Law:
$$L = \sigma T^4$$

Stefan-Boltzman constant: $\sigma = 5.67 \times 10^{-8} \frac{W}{m^2 K^4}$

Blackbody Radiation (2)

- Total output power (per unit area)
 = area under the curve
 = Luminosity (L)
- Power = Energy per time
- Luminosity = Power per area



Stefan-Boltzman Law:
$$L = \sigma T^4$$
 Increasing temperature, increases output power a lot **Stefan-Boltzman constant:** $\sigma = 5.67 \times 10^{-8} \frac{W}{m^2 K^4}$


Light is also a particle: the Photon

- Max Planck (1858-1947) figured out that light also behaves as a *particle* using blackbody radiation.
- Albert Einstein (1879-1955) also figured out that light behaves as a particle based on the photo-electric effect.




Max Planck

- Light particle = photon =packet of EM energy
- Energy = hf (f is the frequency) h = Planck's constant = 6.626 × 10⁻³⁴ J·s
- Discovery of the photon helped initiate Quantum Mechanics.




Albert Einstein

Repeat Interference Experiment one photon at a time



Repeat Interference Experiment one photon at a time



[A. L. Weiss and T. L. Dimitrova, Swiss Physics Society, 2009.]

