2nd Order Coherence

- 1. Degree of second order coherence
- 2. Classical view: Time-domain
- 3. Quantum view: Coincidence measurements
- 4. Thermal Light vs. Laser Light
- 5. Coherence of atomic sources

g⁽²⁾(τ) 2nd order correlation function

Definition:

$$g^{(2)}(\tau) = \frac{\langle I(t) \cdot I(t+\tau) \rangle}{\langle I(t) \rangle \langle I(t+\tau) \rangle} = \frac{\langle I(t) \cdot I(t+\tau) \rangle}{\langle I(t) \rangle^2}$$

It measures **correlations in the intensity** of the light, instead of in the electric field.

Random Phase Chaotic Light Source (Lorentzian)



[computer simulation, from Quantum Theory of Light, by R. Loudon (2000)]

Gaussian Spectrum Chaotic Light Source



[computer simulation, from Quantum Theory of Light, by R. Loudon (2000)]

Quantum g⁽²⁾(τ): single-photon detection

If you can detect single photons (i.e. PMT or avalanche photodiode), then for very low light levels

$$g^{(2)}(\tau) = \frac{\left\langle I(t) \cdot I(t+\tau) \right\rangle}{\left\langle I(t) \right\rangle^2} = \frac{\left\langle n_1(t) \cdot n_2(t+\tau) \right\rangle}{\left\langle n_1(t) \right\rangle \cdot \left\langle n_2(t+\tau) \right\rangle}$$



[figure adapted from Quantum Theory of Light, by R. Loudon (2000)]

Quantum g⁽²⁾(τ): single-photon detection

If you can detect single photons (i.e. PMT or avalanche photodiode), then for very low light levels

$$g^{(2)}(\tau) = \frac{\left\langle I(t) \cdot I(t+\tau) \right\rangle}{\left\langle I(t) \right\rangle^2} = \frac{\left\langle n_1(t) \cdot n_2(t+\tau) \right\rangle}{\left\langle n_1(t) \right\rangle \cdot \left\langle n_2(t+\tau) \right\rangle}$$



[figure adapted from Quantum Theory of Light, by R. Loudon (2000)]

 $\propto P(t + \tau \mid t)$

Thermal Photons



[Figure from Morgan & Mandel, Phys. Rev. 16, 1012 (1966).]





Laser light exhibit NO "bunching".

Thermal Bosonic Atoms



Thermal bosonic atoms are statistically identical to thermal photons !!!

[figure from A. Öttl, S. Ritter, M. Köhl, T. Esslinger, Phys. Rev. Lett. 95, 090404 (2005)]

Coherent Bosonic Atoms (BEC)

In a **Bose-Einstein Condensate (BEC)** all the atoms are in the same state. It is the analog of a laser but with atoms (coherent matter waves).



[figure from A. Öttl, S. Ritter, M. Köhl, T. Esslinger, Phys. Rev. Lett. 95, 090404 (2005)]